

# ZORRO

Black hulled

Oat for feeding



### Advantages:

- Black hulled oat with yield level comparable to proved yellow-hulled varieties
- Medium early variety with slower straw ripening
- Variety with high to very high mildew resistance and high brackling resistance
- Best tolerance against fusarium and ustilago avenae

### Cultivation:

Appreciate by horse breeders. Timely sowing adapted PGR is recommended.

### Short profile:

---- = very low resistance/early/short,                      + + + + = very high resistance/late/long

Straw maturity	delayed								
Lodging resistance									
Mildew									
Quality									
Grading (> 2,0 mm)									
Hectolitre weight									

# ZORRO Black hulled

Oat for feeding

## Plant development and vitality:

Panicle emergence	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Maturity	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Straw maturity	delayed

## Yield structure:

Panicles/m <sup>2</sup>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Grains/panicle	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
TGW	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>

## Sowing:

Time of sowing	end of February until middle of April
Seed rate	locally adapted

## Straw:

Plant height	short to medium
Lodging resistance	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Stem brackling resistance	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>

## Disease resistance:

Mildew	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Crown rust	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Leaf spots	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Septoria	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>

## Plant protection:

Fungicides	profitable under very high disease
Insecticides	follow official recommendation

## Quality:

Grading (> 2,0 mm)	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Hectolitre weight	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Kernel content	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>